ELSEVIER

Mechanisms of Development 71 (1998) 205–206

Author index

Volume 71 (1998)

Armstrong, N.J., Steinbeisser, H., Prothmann, C., DeLotto, R., Rupp, R.A.W., Conserved Spätzle/Toll signaling in dorsoventral patterning of *Xenopus* embryos, 99

Blumberg, B., see Pillemer, G., 193
Buckland, R.A., Collinson, J.M., Graham, E., Davidson, D.R., Hill, R.E., Antagonistic effects of FGF4 on BMP induction of apoptosis and chondrogenesis in the chick limb bud, 143
Busch, M., see Häder, T., 177

Caruso, E.M., see Vortkamp, A., 65
Chenard, M.-P., see Masson, R., 187
Collinson, J.M., see Buckland, R.A., 143

Davidson, D.R., see Buckland, R.A., 143
Dawid, I.B., see Toyama, R., 197
De Robertis, E.M., see Pillemer, G., 193
DeLotto, R., see Armstrong, N.J., 99

Elias, S., see Henig, C., 131
Epstein, M., see Pillemer, G., 193

Fainsod, A., see Pillemer, G., 193
Frank, D., see Henig, C., 131

Giráldez, F, see Torres, M., 5
Graham, E., see Buckland, R.A., 143

Häder, T., La Rosée, A., Ziebold, U., Busch, M., Taubert, H., Jäckle, H., Rivera-Pomar, R., Activation of posterior pair-rule stripe expression in response to maternal *caudal* and zygotic *knirps* activities
Henig, C., Elias, S., Frank, D., A POU protein regulates mesodermal competence to FGF in *Xenopus*, 131
Hill, R.E., see Buckland, R.A., 143
Holz, A., see Klapper, R., 77
Hoppler, S., Moon, R.T., *BMP-2/-4* and *Wnt-8* cooperatively pattern the *Xenopus* mesoderm, 119
Huang, S., Sato, S., Progenitor cells in the adult *zebrafish* nervous system express a Brn-1-related POU gene, *tai-ji*, 23

Igarashi, P., see Quaggin, S.E., 37

Jäckle, H., see Häder, T., 177
Janning, W., see Klapper, R., 77

Klapper, R., Holz, A., Janning, W., Fate map and cell lineage relationships of thoracic and abdominal mesodermal anlagen in *Drosophila melanogaster*, 77
Kobayashi, M., see Toyama, R., 197
Koshida, S., see Makita, R., 165
Kotecha, S., see Sparrow, D.B., 151
Kuroda, M.I., see Rastelli, L., 107
Kuroiwa, A., see Makita, R., 165

La Rosée, A., see Häder, T., 177

Makita, R., Mizuno, T., Kuroiwa, A., Koshida, S., Takeda, H., Zebrafish *wnt11*: pattern and regulation of the expression by the yolk cell and no tail activity, 165
Masson, R., Régnier, C.H., Chenard, M.-P., Wendling, C., Mattei, M.-G., Tomasetto, C., Rio, M.-C., Tumor necrosis factor receptor associated factor 4 (TRAF4) expression pattern during mouse development, 187
Mattei, M.-G., see Masson, R., 187
Minami, Y., see Oishi, I., 49
Mizuno, T., see Makita, R., 165
Mohun, T.J., see Sparrow, D.B., 151
Moon, R.T., see Hoppler, S., 119

Nishida, Y., see Oishi, I., 49

Oishi, I., Sugiyama, S., Otani, H., Yamamura, H., Nishida, Y., Minami, Y., A novel *Drosophila* nuclear protein serine/threonine kinase expressed in the germline during its establishment, 49
Otani, H., see Oishi, I., 49

Pathi, S., see Vortkamp, A., 65
Peretti, G.M., see Vortkamp, A., 65
Pesce, M., Wang, X., Wolgemuth, D.J., Schöler, H.R., Differential expression of the Oct-4 transcription factor during mouse germ cell differentiation, 89
Pillemer, G., Epstein, M., Blumberg, B., Yisraeli, J.K., De Robertis, E.M., Steinbeisser, H., Fainsod, A., Nested expression and sequential downregulation of the *Xenopus caudal* genes along the anterior-posterior axis, 193
Prothmann, C., see Armstrong, N.J., 99

Quaggin, S.E., Vanden Heuvel, G.B., Igarashi, P., Pod-1, a mesoderm-specific basic-helix-loop-helix protein expressed in mesenchymal and glomerular epithelial cells in the developing kidney, 37

Régnier, C.H., see Masson, R., 187
Rastelli, L., Kuroda, M.I., An analysis of *maleless* and histone H4 acetylation in *Drosophila melanogaster* spermatogenesis, 107
Rio, M.-C., see Masson, R., 187
Rivera-Pomar, R., see Häder, T., 177
Rupp, R.A.W., see Armstrong, N.J., 99

Salbaum, J.M., *Punc*, a novel mouse gene of the immunoglobulin superfamily, is expressed predominantly in the developing nervous system, 201
Sato, S., see Huang, S., 23
Schöler, H., see Pesce, M., 89

0925-4773/98/$19.00 © 1998 Elsevier Science Ireland Ltd. All rights reserved
PII: S0925-4773(97)00206-2

Sparrow, D.B., Kotecha, S., Towers, N., Mohun, T.J., *Xenopus eHAND:* a marker for the developing cardiovascular system of the embryo that is regulated by bone morphogenetic proteins, 151
Steinbeisser, H., see Armstrong, N.J., 99
Steinbeisser, H., see Pillemer, G., 193
Sugiyama, S., see Oishi, I., 49

Tabin, C.J., see Vortkamp, A., 65
Takeda, H., see Makita, R., 165
Taubert, H., see Häder, T., 177
Tomasetto, C., see Masson, R., 187
Tomita, T., see Toyama, R., 197
Torres, M., Giráldez, F, The development of the vertebrate inner ear, 5
Towers, N., see Sparrow, D.B., 151
Toyama, R., Kobayashi, M., Tomita, T., Dawid, I.B., Expression of *LIM-domain binding protein* (*ldb*) genes during zebrafish embryogenesis, 197

Vanden Heuvel, G.B., see Quaggin, S.E., 37
Vortkamp, A., Pathi, S., Peretti, G.M., Caruso, E.M., Zaleske, D.J., Tabin, C.J., Recapitulation of signals regulating embryonic bone formation during postnatal growth and in fracture repair, 65

Wang, X., see Pesce, M., 89
Wendling, C., see Masson, R., 187
Wolgemuth, D.J., see Pesce, M., 89

Yamamura, H., see Oishi, I., 49
Yisraeli, J.K., see Pillemer, G., 193

Zaleske, D.J., see Vortkamp, A., 65
Ziebold, U., see Häder, T., 177

ELSEVIER

Mechanisms of Development 71 (1998) 207–211

Subject index

Volume 71 (1998)

Adult brain; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

Animal caps; XLPOU91; *Xenopus* laevis; Basic fibroblast growth factor (bFGF); Mesoderm induction; Competence; XBra expression **71**, 131

Anterior-posterior axis; *Caudal* genes; Homeobox genes; *Xcad-1*; *Xcad-2*; *Xcad-3*; Pattern formation; Gastrula; Gene regulation **71**, 193

Antisense oligonucleotides; Kidney development; Transcription factor; Epithelial-mesenchymal interactions; Branching morphogenesis **71**, 37

Apoptosis; Limb bud; BMPs; FGFs; Chondrogenesis; Bone **71**, 143

Axis induction; Evolutionary conserved mechanism of dorsoventral patterning; *Xenopus*; *Drosophila*; Easter; Spätzle; Toll; Cactus; Dorsal; Rel **71**, 99

Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Basic fibroblast growth factor (bFGF); XLPOU91; *Xenopus* laevis; Mesoderm induction; Competence; Animal caps; XBra expression **71**, 131

bHLH protein; *Xenopus laevis*; Cardiovascular system; Heart; eHAND; Bone morphogenetic protein **71**, 151

Blastoderm stage; Single-cell transplantation; Fat body; Larval somatic muscles; Imaginal muscle precursor **71**, 77

BMPs; Limb bud; FGFs; Apoptosis; Chondrogenesis; Bone **71**, 143

BMP-2/-4; *Xenopus*; *Wnt-8* **71**, 119

Bone morphogenetic protein; *Xenopus laevis*; Cardiovascular system; Heart; bHLH protein; eHAND **71**, 151

Bone; *Ihh*; Parathyroid hormone-related protein; Fracture repair; Endochondral ossification **71**, 65

Bone; Limb bud; BMPs; FGFs; Apoptosis; Chondrogenesis **71**, 143

Branching morphogenesis; Kidney development; Transcription factor; Epithelial-mesenchymal interactions; Antisense oligonucleotides **71**, 37

Brn-1; *tai-ji*; *zebrafish* **71**, 23

Bromodeoxyuridine (BrdU); Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

Cactus; Evolutionary conserved mechanism of dorsoventral patterning; Axis induction; *Xenopus*; *Drosophila*; Easter; Spätzle; Toll; Dorsal; Rel **71**,

Cardiovascular system; *Xenopus laevis*; Heart; bHLH protein; eHAND; Bone morphogenetic protein **71**, 151

Caudal; Pair-rule genes; *hairy*; *knirps*; *Drosophila*; Segmentation **71**, 177

Caudal genes; Homeobox genes; Anterior-posterior axis; *Xcad-1*; *Xcad-2*; *Xcad-3*; Pattern formation; Gastrula; Gene regulation **71**, 193

Cell adhesion molecule; Axon guidance; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Cell differentiation; Axon guidance; Cell adhesion molecule; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Cell proliferation; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Cell surface; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

0925-4773/98/$19.00 © 1998 Elsevier Science Ireland Ltd. All rights reserved
PII: S0925-4773(97)00207-4

Cellularization; Maternal gene; Nuclear protein kinase; Germ line; *Drosophila melanogaster* **71**, 49

Chondrogenesis; Limb bud; BMPs; FGFs; Apoptosis; Bone **71**, 143

Class III β-tubulin; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Mouse chromosome 11; Syntenic linkage conservation **71**, 187

Competence; XLPOU91; *Xenopus* laevis; Basic fibroblast growth factor (bFGF); Mesoderm induction; Animal caps; XBra expression **71**, 131

Cysteine-rich motif associated with RING and TRAF domains (CART1); Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

Development; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Development; Inner ear **71**, 5

Development; Mouse TRAF4 cDNA cloning; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

Differential display; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Dorsal; Evolutionary conserved mechanism of dorsoventral patterning; Axis induction; *Xenopus*; *Drosophila*; Easter; Spätzle; Toll; Cactus; Rel **71**, 99

Dosage compensation; Spermatogenesis; X inactivation; Histone acetylation **71**, 107

Downregulation; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Drosophila melanogaster; Maternal gene; Nuclear protein kinase; Cellularization; Germ line **71**, 49

Drosophila; Evolutionary conserved mechanism of dorsoventral patterning; Axis induction; *Xenopus*; Easter; Spätzle; Toll; Cactus; Dorsal; Rel **71**, 99

Drosophila; Pair-rule genes; *hairy*; *caudal*; *knirps*; Segmentation **71**, 177

Easter; Evolutionary conserved mechanism of dorsoventral patterning; Axis induction; *Xenopus*; *Drosophila*; Spätzle; Toll; Cactus; Dorsal; Rel **71**, 99

eHAND; *Xenopus laevis*; Cardiovascular system; Heart; bHLH protein; Bone morphogenetic protein **71**, 151

Embryo; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Endochondral ossification; *Ihh*; Parathyroid hormone-related protein; Fracture repair; Bone **71**, 65

Epithelial-mesenchymal interactions; Kidney development; Transcription factor; Branching morphogenesis; Antisense oligonucleotides **71**, 37

Evolutionary conserved mechanism of dorsoventral patterning; Axis induction; *Xenopus*; *Drosophila*; Easter; Spätzle; Toll; Cactus; Dorsal; Rel **71**, 99

Fat body; Blastoderm stage; Single-cell transplantation; Larval somatic muscles; Imaginal muscle precursor **71**, 77

FGFs; Limb bud; BMPs; Apoptosis; Chondrogenesis; Bone **71**, 143

Fracture repair; *Ihh*; Parathyroid hormone-related protein; Bone; Endochondral ossification **71**, 65

Gastrula; *Caudal* genes; Homeobox genes; Anterior-posterior axis; *Xcad-1*; *Xcad-2*; *Xcad-3*; Pattern formation; Gene regulation **71**, 193

Gene expression; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Gene regulation; *Caudal* genes; Homeobox genes; Anterior-posterior axis; *Xcad-1*; *Xcad-2*; *Xcad-3*; Pattern formation; Gastrula **71**, 193

Germ cells; Oct-4; Primordial germ cells; Meiosis; Oogenesis; Spermatogenesis; Mouse gonad **71**, 89

Germ line; Maternal gene; Nuclear protein kinase; Cellularization; *Drosophila melanogaster* **71**, 49

hairy; Pair-rule genes; *caudal*; *knirps*; *Drosophila*; Segmentation **71**, 177

Heart; *Xenopus laevis*; Cardiovascular system; bHLH protein; eHAND; Bone morphogenetic protein **71**, 151

Hedgehog; No tail; Notochord; Somite; Mesoderm induction **71**, 165

Histone acetylation; Spermatogenesis; Dosage compensation; X inactivation **71**, 107

Homeobox genes; *Caudal* genes; Anterior-posterior axis; *Xcad-1*; *Xcad-2*; *Xcad-3*; Pattern formation; Gastrula; Gene regulation **71**, 193

Homeodomain; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; ***Ihh***; Parathyroid hormone-related protein; Fracture repair; Bone; Endochondral ossification **71**, 65

Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Imaginal muscle precursor; Blastoderm stage; Single-cell transplantation; Fat body; Larval somatic muscles **71**, 77

Immunoglobulin superfamily; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

In situ hybridization; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

Inner ear; Development **71**, 5

Islet-1; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Kidney development; Transcription factor; Epithelial-mesenchymal interactions; Branching morphogenesis; Antisense oligonucleotides **71**, 37

knirps; Pair-rule genes; *hairy*; *caudal*; *Drosophila*; Segmentation **71**, 177

Larval somatic muscles; Blastoderm stage; Single-cell transplantation; Fat body; Imaginal muscle precursor **71**, 77

LIM domain binding protein; Zebrafish; Protein-protein interaction **71**, 197

Limb bud; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Limb bud; BMPs; FGFs; Apoptosis; Chondrogenesis; Bone **71**, 143

Maternal gene; Nuclear protein kinase; Cellularization; Germ line; *Drosophila melanogaster* **71**, 49

Meiosis; Oct-4; Primordial germ cells; Germ cells; Oogenesis; Spermatogenesis; Mouse gonad **71**, 89

Mesoderm induction; No tail; Notochord; Somite; Hedgehog **71**, 165

Mesoderm induction; XLPOU91; *Xenopus* laevis; Basic fibroblast growth factor (bFGF); Competence; Animal caps; XBra expression **71**, 131

Mesoderm; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Midbrain; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Motorneuron; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Mouse; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Mouse chromosome 11; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Syntenic linkage conservation **71**, 187

Mouse gonad; Oct-4; 9Primordial germ cells; Germ cells; Meiosis; Oogenesis; Spermatogenesis **71**, 89

Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

Mouse; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Neural plate; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Neural plate; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immuno-

globulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neuroepithelium; Transcription factor; Transgenic mice **71**, 201

Neuroepithelium; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Transcription factor; Transgenic mice **71**, 201

Neurogenesis; Mouse TRAF4 cDNA cloning; Development; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

No tail; Notochord; Somite; Hedgehog; Mesoderm induction **71**, 165

Northern blot; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

Notochord; No tail; Somite; Hedgehog; Mesoderm induction **71**, 165

Nuclear protein kinase; Maternal gene; Cellularization; Germ line; *Drosophila melanogaster* **71**, 49

Oct-4; Primordial germ cells; Germ cells; Meiosis; Oogenesis; Spermatogenesis; Mouse gonad **71**, 89

Oogenesis; Oct-4; Primordial germ cells; Germ cells; Meiosis; Spermatogenesis; Mouse gonad **71**, 89

Pair-rule genes; *hairy*; *caudal*; *knirps*; *Drosophila*; Segmentation **71**, 177

Parathyroid hormone-related protein; *Ihh*; Fracture repair; Bone; Endochondral ossification **71**, 65

Pattern formation; *Caudal* genes; Homeobox genes; Anterior-posterior axis; *Xcad-1*; *Xcad-2*; *Xcad-3*; Gastrula; Gene regulation **71**, 193

Primordial germ cells; Oct-4; Germ cells; Meiosis; Oogenesis; Spermatogenesis; Mouse gonad **71**, 89

Proteinprotein interaction; Zebrafish; LIM domain binding protein **71**, 197

Rel; Evolutionary conserved mechanism of dorsoventral patterning; Axis induction; *Xenopus*; *Drosophila*; Easter; Spätzle; Toll; Cactus; Dorsal **71**, 99

Segmentation; Pair-rule genes; *hairy*; *caudal*; *knirps*; *Drosophila* **71**, 177

Single-cell transplantation; Blastoderm stage; Fat body; Larval somatic muscles; Imaginal muscle precursor **71**, 77

Somite; No tail; Notochord; Hedgehog; Mesoderm induction **71**, 165

Spätzle; Evolutionary conserved mechanism of dorsoventral patterning; Axis induction; *Xenopus*; *Drosophila*; Easter; Toll; Cactus; Dorsal; Rel **71**, 99

Spermatogenesis; Dosage compensation; X inactivation; Histone acetylation **71**, 107

Spermatogenesis; Oct-4; Primordial germ cells; Germ cells; Meiosis; Oogenesis; Mouse gonad **71**, 8

Syntenic linkage conservation; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11 **71**, 187

tai-ji; *zebrafish*; Brn- **71**, 23

TNF receptor associated factor 1; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

TNF receptor associated factor 2; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

TNF receptor associated factor 3; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

TNF receptor associated factor 4; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; Cysteine-rich motif associated with RING and TRAF domains (CART1); Tumor necrosis factor; In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

Toll; Evolutionary conserved mechanism of dorsoventral patterning; Axis induction; *Xenopus*; *Drosophila*; Easter; Spätzle; Cactus; Dorsal; Rel **71**, 99

Transcription factor; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transgenic mice **71**, 201

Transcription factor; Kidney development; Epithelial-mesenchymal interactions; Branching morphogenesis; Antisense oligonucleotides **71**, 37

Transgenic mice; Axon guidance; Cell adhesion molecule; Cell differentiation; Cell proliferation; Cell surface; Development; Differential display; Downregulation; Embryo; Gene expression; Homeodomain; Immunoglobulin superfamily; Islet-1; Limb bud; Mesoderm; Midbrain; Motorneuron; Mouse; Neural plate; Neuroepithelium; Transcription factor **71**, 201

Tumor necrosis factor; Mouse TRAF4 cDNA cloning; Development; Neurogenesis; Adult brain; TNF receptor associated factor 1; TNF receptor associated factor 2; TNF receptor associated factor 3; TNF receptor associated factor 4; Cysteine-rich motif associated with RING and TRAF domains (CART1); In situ hybridization; Northern blot; Bromodeoxyuridine (BrdU); Class III β-tubulin; Mouse chromosome 11; Syntenic linkage conservation **71**, 187

Wnt-8; *Xenopus*; *BMP-2/-4* **71**, 119

X inactivation; Spermatogenesis; Dosage compensation; Histone acetylation **71**, 107

XBra expression; XLPOU91; *Xenopus* laevis; Basic fibroblast growth factor (bFGF); Mesoderm induction; Competence; Animal caps **71**, 131

Xcad-1; *Caudal* genes; Homeobox genes; Anterior-posterior axis; *Xcad-2*; *Xcad-3;*; Pattern formation; Gastrula; Gene regulation **71**, 193

Xcad-2; *Caudal* genes; Homeobox genes; Anterior-posterior axis; *Xcad-1*; *Xcad-3*; Pattern formation; Gastrula; Gene regulation **71**, 193

Xcad-3; *Caudal* genes; Homeobox genes; Anterior-posterior axis; *Xcad-1*; *Xcad-2*; Pattern formation; Gastrula; Gene regulation **71**, 193

Xenopus laevis; Cardiovascular system; Heart; bHLH protein; eHAND; Bone morphogenetic protein **71**, 151

Xenopus laevis; XLPOU91; Basic fibroblast growth factor (bFGF); Mesoderm induction; Competence; Animal caps; XBra expression **71**, 131

Xenopus; *BMP-2/-4*; *Wnt-8* **71**, 119

Xenopus; Evolutionary conserved mechanism of dorsoventral patterning; Axis induction; *Drosophila*; Easter; Spätzle; Toll; Cactus; Dorsal; Rel **71**, 99

zebrafish; *tai-ji*; Brn- **71**, 23

XLPOU91; *Xenopus* laevis; Basic fibroblast growth factor (bFGF); Mesoderm induction; Competence; Animal caps; XBra expression **71**, 131

Zebrafish; LIM domain binding protein; Protein-protein interaction **71**, 197